Enter procedure parameters

Enter procedure parameters

Context

Expand the procedure using its arrow to display parameters and tasks. Use the arrow to the right of its name to access its parameters.

Starting point

Step 2 — expand the procedure

Prerequisites

- Create or select a procedure.

Steps

1. Enter the parameters

Choose the product, then the dosage, temperature and frequency. Specify visual, odour or bacterial checks as required.

2. Open product selection

Click Product, its pictogram or its name. A selection window opens. Find the product, click Select product, then confirm your choice. See pages 15 and 16.

3. Review recommendations

If the product record includes a recommended dosage and temperature, a window may offer to apply them. Accept the suggestion or enter values suited to the use, then confirm.

4. Enter values directly

If no suggestion appeared, click the procedure’s dosage field and enter the value. Do the same for temperature. Libraries help with entry and consistent wording.

5. Choose the frequency

Click the frequency field. Select a library label, or enter your own frequency and choose a representative colour.

6. Define checks

Enable the required checks: bacterial, smell and/or visual. Several can be associated with one procedure. Continue with task entry on the next page.


Expected result

Product, dosage, temperature, frequency and checks are entered.

Remember

- Data shown in a demo example is not a recommendation for your customer.
- After changing a product, review the task text too: actions, contact time and rinsing must remain consistent with the product instructions.

Illustrations



See also

- Select and compare a product
- Create the operating procedure's tasks

Revision #3
Created 2026-11-23 11:26:23 UTC by eCare Content Studio
Updated 2026-11-23 11:50:24 UTC by eCare Content Studio